

DOCKET NO.: 17328 CON3
ALLE0032-100
Serial No. 10/630,604

PATENT

13. (previously presented) The method of claim 12, wherein the botulinum is toxin selected from the group consisting of botulinum toxin types A, B, C₁, D, E, F and G.

14-28. (canceled)

29. (currently amended) The method of claim 1 [[28]], wherein the peripheral administration of the botulinum toxin is carried out by intramuscular administration of the botulinum toxin.

30. (previously presented) The method of claim 29, wherein the intramuscular administration of the botulinum toxin is carried out by intramuscular administration of the botulinum toxin into the region of the burn pain.

31. (currently amended) A method for treating a burn pain, the method comprising the step of local administration of an effective amount of a botulinum toxin to a region of a burn, thereby alleviating the ~~treating~~ burn pain.

32. (previously presented) The method of claim 31, wherein the botulinum toxin is a botulinum toxin type A.

33. (currently amended) A method for treating a burn pain, the method comprising local administration of an effective amount of a botulinum toxin and no other pain alleviating agent, thereby alleviating ~~treating~~ the burn pain.

34. (previously presented) The method of claim 33, wherein the botulinum toxin is selected from the group consisting of botulinum toxin types A, B, C₁, D, E, F and G.

DOCKET NO.: 17328 CON3
ALLE0032-100
Serial No. 10/630,604

PATENT

35. (previously presented) The method of claim 33, wherein the botulinum toxin is botulinum toxin type A.

36. (currently amended) A method for treating a burn pain, the method comprising local administration of 30 to 200 units of a botulinum toxin and no other pain alleviating agent, thereby alleviating ~~treating~~ the burn pain.